

1 UPS 20-60 N 150



: 96913096

, PES/PP.

: 2 .. 110 °C  
 : 60 °C  
 983.2 / 3

TF : 110  
 : CE,EAC,WEEE

DIN W.-Nr. 1.4301  
 , PES/PP

.T : - 80 0C: 80 °C


: 10  
 : G 1 1/4  
 : PN 10  
 : 150

: 1: 35  
 : 2: 60




: 90

: 50 Hz  
: 1 x 240  
1: 0.15 A  
2: 0.25 A  
3: 0.37 A  
- : 2  
(IEC 34-5): IP44  
(IEC 85): H  
:  
: 2.8  
:  
:  
: 0.004 <sup>3</sup>


## 96913096 UPS 20-60 N 150 50




	UPS 20-60 N 150
	96913096
EAN	5700313543779
	3
	60
TF	110
	CE,EAC,WEEE
	DIN W.-Nr. 1.4301
	, PES/PP
80 °C:	80 °C
	10
	G 1 1/4
	PN 10
	150
	2 .. 110 °C
	60 °C
	983.2 / ³
1:	35
2:	60
	90
	50 Hz
	1 x 240
1:	0.15 A
2:	0.25 A
3:	0.37 A
	2
(IEC 34-5):	IP44
(IEC 85):	H
	9H
	2.8
	3
	0.004 ³



## 96913096 UPS 20-60 N 150 50



**96913096 UPS 20-60 N 150 50**



! [ ], .