

1 UPA 15-90 N



: 99539041

Grundfos UPA 15-90 N -

UPA

1.:

PN 10

3/4.

160

UPA 15-90 N

/

2-

CE,WEEE-UPA,MORO.

-
-
-
-
-
-

: 2..95 °C
 : 60 °C
 983.2 / 3

TF

95
 : CE,WEEE-UPA,MORO

PP

Maximum ambient temperature: 40 °C

10

: G

3/4

PN 10

160

: 120

: 50 Hz

: 1 x 230

3: 0.48 A

: 2.5

(IEC 34-5): X2D

(IEC 85): H

Power plug:

3.77


0.004 ³

C



CN

8413703000

99539041 UPA 15-90 N 50



| | |
|------------------------------|----------------------|
| | UPA 15-90 N |
| | 99539041 |
| EAN | 5713830741733 |
| | 1 |
| | 90 |
| TF | 95 |
| | CE, WEEE-UPA, MORO |
| | PP |
| Maximum ambient temperature: | 40 °C |
| | 10 |
| | G |
| | 3/4 |
| | PN 10 |
| | 160 |
| | 2 .. 95 °C |
| | 60 °C |
| | 983.2 / ³ |
| | 120 |
| | 50 Hz |
| | 1 x 230 |
| 3: | 0.48 A |
| | 2.5 |
| (IEC 34-5): | X2D |
| (IEC 85): | H |
| Power plug: | |
| | 3.77 |
| | 0.004 ³ |
| C | CN |
| | 8413703000 |



99539041 UPA 15-90 N 50

